

# WDM

PUMPS



ME

Medium Pressure Pumps

WDM Water Systems

## Benefits


- Quick delivery
- Easy set up & installation
- Long service life
- Low maintenance
- Variety of sizes
- Rear pull out
- Ease of maintenance



## Applications


- HVAC
- Irrigation
- Coolants
- Cooling towers
- Industrial

Performance	
Flow	Up to 600 gpm
Head	Up to 184 ft
Temperature	Up to 158 °F
Discharge flange	Up to 4"
Max. working pressure	175 psi



- ① Cast Iron construction
- ② Up to 4" threaded suction and 2" discharge
- ③ Enclosed stainless impeller
- ④ 3 ph up to 15 hp
- ⑤ Mechanical seal of 1 ¼" Carbon – Ceramic Buna N Mechanical Seal

## Selection Chart



Model	Suc.	Disch.	hp
ME 1	1.5"	1.5"	2 - 5
ME 1.5	2"	2"	2 - 7.5
ME 2	2.5"	2"	3 - 10

Distributed by:



WDM Pumps has expanded its brand as an international manufacturer of fluid handling pumps by consistently meeting and exceeding the needs customers for pumps.

Continuing a tradition of more than 50 years, WDM Pumps manufactures quality electric and engine driven pumps for diverse commercial and industrial applications. Our continued growth is based on a commitment to high standards for efficient product design, production, sales, and customer support.

Our customers rely on our world-class team of experienced WDM Pumps engineers, technicians, and product application specialists.

WDM offers pump products and related equipment for a wide variety of industries, including industrial, agricultural, and construction. The WDM Pumps product line includes self priming, flexible coupled, close coupled, diesel and gasoline driven centrifugal pumps, in addition to submersible solids handling products.

WDM Pumps plants are strategically located throughout the Americas in the United States, Colombia, Mexico, Panama, Argentina, and Guatemala.



[www.wdmpumps.com](http://www.wdmpumps.com)

[info@wdmpumps.com](mailto:info@wdmpumps.com)

4034 Mint Way, Dallas, TX 75237, USA.  
Phone: (214) 337-8780  
[sales@wdmpumps.com](mailto:sales@wdmpumps.com)